



66 Glen Avenue  
P.O. Box 307  
Glen Rock, New Jersey 07452  
Telephone: (201) 444-9784  
Fax: (201) 670-9788  
E-mail: [psi@petroscience.com](mailto:psi@petroscience.com)  
[www.petroscience.com](http://www.petroscience.com)

September 22, 2006

**VIA Overnight Delivery**

Mr. Andrew L. Confortini  
On-Scene Coordinator  
USEPA, Region 2  
2890 Woodbridge Avenue  
Edison, New Jersey 08837

Re: Status Update  
89 Morris Street  
Morristown, New Jersey

Vapor Investigation  
Extraction System

Dear Mr. Confortini:

PetroScience, Inc. (PSI) is pleased to present the enclosed *Design Specifications for Vapor Extraction Systems for 89 Morris Street, Morristown, New Jersey* for the installation of an Active Soil Depressurization (ASD) system. As previously indicated, field diagnostics for the front portion of the subject site building (active dry cleaners, a.k.a. tenant space #10) will be performed in November 2006 (pending vacation of premises by tenant). PSI will provide you with an updated implementation schedule, pending logistical review and acquisition of permits.

Thank you for the opportunity to be of service to you. If you have any questions or comments, or require additional information, please do not hesitate to contact me at (201) 444-9784 ext. 121.

PetroScience, Inc.

Edward W. Redfield  
General Manager

Cc: Mr. Peter Austin  
Matthew J. O'Donnell, Esq. (w/out enclosure)

\\Bertin-server\petro backup\PetroProjects\0480D.Morristown.PCE\Letters\RA.Cover.doc